

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L

EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L

EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman
Telephone Number : 8489309008
Mobile Number : 7695844479
Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM
Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE
Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH
Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR
Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210
Invoice No : 11110541
Invoice Date : 28/09/2022
DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman
Telephone Number : 8489309008
Mobile Number : 7695844479
Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM
Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE
Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH
Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR
Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541
Invoice Date : 28/09/2022
DOP : 28/09/2022
DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE
PLACED
PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman
Telephone Number : 8489309008
Mobile Number : 7695844479
Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L
EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOU
ND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to
Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE
PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L
EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOU
ND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to
Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM
Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE
Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH
Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR
Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210
Invoice No : 11110541
Invoice Date : 28/09/2022
DOP : 28/09/2022
DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED
PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008
Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM
Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE
Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH
Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR
Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210
Invoice No : 11110541
Invoice Date : 28/09/2022
DOP : 28/09/2022
DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED
PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE REPLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022

DOP : 28/09/2022

DEALER / CUSTOMER : CUSTOMER

Damage/Defective : Defective

Nature Of Problem : Functional_Defect_-_Not_repairable

Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED

PRA submitted by : MAHADEVAN S

Customer / Dealer Code : 40000E

Customer / Dealer Name : ARCHANA ARCHANA

Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman

Telephone Number : 8489309008

Mobile Number : 7695844479

Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL L EAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE

Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.

Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.

GIRISHAM

Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE

Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH

Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

***** Replacement from Category Stock *****

Product Category : REFRIGERATOR

Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH

Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210

Invoice No : 11110541

Invoice Date : 28/09/2022
DOP : 28/09/2022
DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED
PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman
Telephone Number : 8489309008
Mobile Number : 7695844479
Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.
GIRISHAM
Dear NMS/SRINIR

Sanction No. SS4/R/107119 dated 05/03/2023 has been generated in reference to Service order No. 390982 dated 28/02/2023.

Area : SS4 COIMBATORE
Model : 52141501SD02236/RT EONVALOR 280C 35 RCI ST RH
Replacement Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
***** Replacement from Category Stock *****

Product Category : REFRIGERATOR
Defective Product Code : 52141501SD02236 RT EONVALOR 280C 35 RCI ST RH
Cabinet No(For Appl) and SO/RPL/Invoice No(For Others) : 220602236FR00210
Invoice No : 11110541
Invoice Date : 28/09/2022
DOP : 28/09/2022
DEALER / CUSTOMER : CUSTOMER
Damage/Defective : Defective
Nature Of Problem : Functional_Defect_-_Not_repairable
Job Code Desc : SEALED SYSTEM#GAS LEAK - UNABLE TO IDENTIFY#APPLIANCE TO BE RE PLACED
PRA submitted by : MAHADEVAN S
Customer / Dealer Code : 40000E
Customer / Dealer Name : ARCHANA ARCHANA
Address : ARCHANA ARCHANA NO; 303 D, K K NAGAR SILAIMAN , PULIYANGULAM

City: Silaiman
Telephone Number : 8489309008
Mobile Number : 7695844479
Observation text: FIRE CASE REPLACEMENT MACHINE WHICH GIVEN FOUND INTERNAL LEAK KINDLY APPROVE REPLACEMENT FROM CAT STOCK DOP : 11-07-2022 DEFECTIVE
Approval remark: CATEGORY MACHINE GIVEN TO THE CUSTOMER AGAINST FIRE CASE FOUND DEFECTIVE.
Sanction text: Approved as per Rohit mail Category machine replacement

Kindly take necessary action.
GIRISHAM

Note to commercial team -

- In case of any deviation (to actual machine) to above details , than above sanction no. stands void.

- If any alteration required in above details than this document needs to be regenerated (pdf format) through smartnet system. Contact respective service

e executive.